

SAFETY DATA SHEET

SAFETY DATA SHEET

Revision Number 1

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date 17-Oct-2024

1. Identification				
Product identifier				
Product Name	SB 400 - All Colors			
Other means of identification				
Product Code(s)	FG00088			
Synonyms	None			
Recommended use of the chemic	al and restrictions on use			
Recommended use	Adhesive Sealant Coating			
Restrictions on use	No information available			
Details of the supplier of the safet	y data sheet			
Manufacturer Address Seal Bond 1251 E. Mt. Garfield Rd. Norton Shores, MI 49444 800-252-4144				
Emergency telephone number				
Emergency Telephone	Chemtrec 1-800-424-9300			

2. Hazard(s) identification

Classification

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Appearance No information available

Physical state Liquid

Odor No information available

Disclaimer ATTENTION! Some of the additives disclosed in Section 3 such as Carbon Black, Crystalline Silica, and or Titanium Dioxide are regulated by California Proposition 65 as carcinogens when they are in the form of "airborne, unbound particles of respirable size." Since the disclosed materials are bound in the polymer matrix, they will not be available as an airborne hazard (dust, mist, or spray) under normal conditions of use. Therefore, this product does not present a respiration hazard as outlined by the Prop 65 regulations

Label elements

Warning

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Do not breathe dust, fume, gas, mist, vapors and spray Wear protective gloves, eye protection and face protection **Precautionary Statements - Response** Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice and attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

May be harmful in contact with skin. May be harmful if inhaled.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Calcium Carbonate	471-34-1	20 - 40	-	-
Limestone	1317-65-3	10 - 20	-	-
Titanium Dioxide	13463-67-7	1 - <5	-	-
Stearic Acid	57-11-4	1 - <5	-	-
Proprietary Dehydration Agent	Trade secret	1 - <5	-	-
Proprietary Adhesion Promoter	Trade secret	1 - <5	-	-
Crystalline Silica	14808-60-7	<0.1	-	-

Carbon Black	1333-86-4	<0.1	-	-
--------------	-----------	------	---	---

4. First-aid measures Description of first aid measures **General advice** Show this safety data sheet to the doctor in attendance. Inhalation Remove to fresh air. Eve contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Self-protection of the first aider Most important symptoms and effects, both acute and delayed Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. Indication of any immediate medical attention and special treatment needed Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5.	Fire-fig	ahtina	measures
		J	mououroo

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact. Containers may explode when heated.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
--------------------	--

8. Exposure controls/personal protection

Control parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium Carbonate	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
471-34-1		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m ³ total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	· · ·
		(vacated) TWA: 15 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
Tite given Disseids		respirable fraction	
Titanium Dioxide	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter TWA: 2.5 mg/m ³ finescale	(vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63
	respirable particulate matter	uusi	ultrafine, including engineered
			nanoscale
Stearic Acid	TWA: 10 mg/m ³ inhalable	_	-
57-11-4	particulate matter		
	TWA: 3 mg/m ³ respirable		
	particulate matter		
Crystalline Silica	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	

Carbon Black 1333-86-4		TWA: 3 mg/m³ particulate n		: (10)/(% TWA res TWA	spirable fraction SiO2 + 2) mg/m ³ spirable fraction :: 3.5 mg/m ³ TWA: 3.5 mg/m ³		IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ 0.1 mg/m ³ Carbon black in nce of Polycyclic aromatic hydrocarbons PAH
Chemical name		Alberta	British C		Ontario		Quebec
Calcium Carbonate 471-34-1	Т	WA: 10 mg/m ³	TWA: 10 TWA: 3 STEL: 2		-		TWA: 10 mg/m ³
Limestone 1317-65-3	Т	TWA: 10 mg/m ³ TWA: 10 TWA: 3		0 mg/m ³ - 3 mg/m ³ 20 mg/m ³			TWA: 10 mg/m ³
Titanium Dioxide 13463-67-7	Т	WA: 10 mg/m ³	0 mg/m ³ TWA: 10 r TWA: 3 r		TWA: 10 mg/r	n ³	TWA: 10 mg/m ³
Stearic Acid 57-11-4		- TWA: 10 TWA: 3			TWA: 10 mg/r TWA: 3 mg/m		TWA: 10 mg/m ³
Proprietary Dehydration Agent		-	-	-	STEL: 10 ppr STEL: 60 mg/i		-
Crystalline Silica 14808-60-7	ΤV	/A: 0.025 mg/m ³	TWA: 0.0	25 mg/m³	TWA: 0.10 mg/	/m³	TWA: 0.1 mg/m ³
Carbon Black 1333-86-4	T	WA: 3.5 mg/m ³	TWA: 3	mg/m ³	TWA: 3 mg/m	1 ³	TWA: 3 mg/m ³

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, such	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Color	Not applicable
Odor	Not applicable
Odor threshold	Not applicable

Property_	Values	Remarks • Method
pH	Not applicable	None known
Melting point / freezing point	Not applicable	None known
Initial boiling point and boiling rang	eNot applicable	None known
Flash point	Not applicable	None known
Evaporation rate	Not applicable	None known
Flammability	Not applicable	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	Not applicable	None known
Relative vapor density	(Air=1) >1	None known
Relative density	Not applicable	None known
Water solubility	Not applicable	None known
Solubility(ies)	Not applicable	None known
Partition coefficient	Not applicable	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	Not applicable	None known
Kinematic viscosity	Contact the manufacturer	None known
Dynamic viscosity	Contact the manufacturer	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
•		

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May be harmful if inhaled.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is

		on. May be harmful in contact wit	
Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Symptoms related to the physic	cal, chemical and toxicologica	al characteristics	
Symptoms	Itching. Rashes. Hives. M	ay cause redness and tearing of	the eyes.
Acute toxicity			
lumerical measures of toxicity			
ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mis	3,128.50 mg/kg 99,999.00 ppm st) 78.50 mg/l		
ATEmix (inhalation-vapor)	285.90 mg/l		
ATEmix (inhalation-vapor)	285.90 mg/l	Dormal L D50	Inholation I C50
ATEmix (inhalation-vapor)		Dermal LD50 > 2000 mg/kg (Rat)	Inhalation LC50 > 3 mg/L (Rat)4 h
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide	285.90 mg/l Oral LD50		
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide 13463-67-7 Stearic Acid	285.90 mg/l Oral LD50 = 6450 mg/kg (Rat)		> 3 mg/L (Rat)4 h
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide 13463-67-7 Stearic Acid 57-11-4	285.90 mg/l Oral LD50 = 6450 mg/kg (Rat) > 10000 mg/kg (Rat)	> 2000 mg/kg (Rat) -	> 3 mg/L (Rat)4 h
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide 13463-67-7 Stearic Acid 57-11-4 Proprietary Dehydration Agent	285.90 mg/l Oral LD50 = 6450 mg/kg (Rat) > 10000 mg/kg (Rat) = 4600 mg/kg (Rat)	> 2000 mg/kg (Rat) - > 2000 mg/kg (Rabbit)	> 3 mg/L (Rat) 4 h = 5.09 mg/L (Rat) 4 h -
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide 13463-67-7 Stearic Acid	285.90 mg/l Oral LD50 = 6450 mg/kg (Rat) > 10000 mg/kg (Rat) = 4600 mg/kg (Rat) = 7340 µL/kg (Rat)	> 2000 mg/kg (Rat) - > 2000 mg/kg (Rabbit) = 3.54 mL/kg (Rabbit)	> 3 mg/L (Rat) 4 h = 5.09 mg/L (Rat) 4 h - = 16.8 mg/L (Rat) 4 h
ATEmix (inhalation-vapor) Component Information Chemical name Calcium Carbonate 471-34-1 Titanium Dioxide 13463-67-7 Stearic Acid 57-11-4 Proprietary Dehydration Agent Proprietary Adhesion Promoter Carbon Black 1333-86-4	285.90 mg/l Oral LD50 = 6450 mg/kg (Rat) > 10000 mg/kg (Rat) = 4600 mg/kg (Rat) = 7340 µL/kg (Rat) = 2413 mg/kg (Rat) > 15400 mg/kg (Rat)	> 2000 mg/kg (Rat) - > 2000 mg/kg (Rabbit) = 3.54 mL/kg (Rabbit)	> 3 mg/L (Rat) 4 h = 5.09 mg/L (Rat) 4 h - = 16.8 mg/L (Rat) 4 h 1.49 - 2.44 mg/L (Rat) 4 h > 4.6 mg/m ³ (Rat) 4 h

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B	-	Х
Crystalline Silica 14808-60-7	A2	Group 1	Known	Х
Carbon Black	A3	Group 2B	-	Х

	1333-86-4
lagand	

Legend ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present		
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	No information available.	

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Stearic Acid 57-11-4	-	LC50: <3000mg/L (96h, Brachydanio rerio) LC50: >1000mg/L (96h, Danio rerio)	-	-
Proprietary Dehydration Agent	-	LC50: =191mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Stearic Acid 57-11-4	3.3

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT

Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

All ingredients are listed or exempt.

DSL/NDSL	All ingredients are listed or exempt.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium Dioxide - 13463-67-7	Carcinogen	
Crystalline Silica - 14808-60-7	Carcinogen	
Carbon Black - 1333-86-4	Carcinogen	

See disclaimer in section 2.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information							
NFPA HMIS	Health hazards 2 Health hazards 2 *	Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X		
Key or legend to abbreviations and acronyms used in the safety data sheet							
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value * Skin designation Key Iterature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) Struironmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) International Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's ChemID Plus (NLM CIP) New Zealand's Chemical Classification and Information Database (CCID) National Sciencial Classification and Infor							
Organization for Economic Co-operation and Development Screening Information Data Set							

World Health Organization

Revision date 17-Oct-2024

Revision Note

17-Oct-2024

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet